RSA FACTORING CHALLENGE: RSA-410

Author: RSA Inc

January 2012

Introduction

The RSA crypto system by Rivest, Shamir and Adleman is the most well-known modern crypto system. In 1991 RSA Inc [1] published 54 challenges with various key lengths for the modulus N (100 to 617 decimal digits).

These RSA cipher challenges [2] were the most well-known crypto challenges. RSA Inc initially advertised prize money for the solution of 14 of these challenges [3]. When RSA Inc stopped the contest in 2007, the money for 8 prizes was already payed. By now (status January 2012), 16 of initially 54 challenges have been solved.

RSA Inc permited the MTC3 team to host the remaining 38 challenges and to offer it within the MTC3 contest as challenges. Thanks to Ari Juels.

MysteryTwister C3
THE CRYPTO CHALLENGE CONTEST

RSA-410

For solving the RSA-410 challenge it is necessary to factor the following decimal number with 410 decimal digits:

N = 196536014799387614142394527417874570792626929443988074682797112099251742177010791381393245390333810777555408303429896436333941375389833552189024908977644412968474332754608531823550599154905901691559098706892516477785203855688127063506937209156459433352815650129392413318670514148513785684574176615015943760632441630400881808870870287717173219322529925677560752644416808586654109184312232153680253349854243588339

For the solution, please hand in one of the two prime factors as a decimal number.

Sources

[1] http://www.rsa.com

[2] http://en.wikipedia.org/wiki/RSA_Factoring_Challenge
    http://en.wikipedia.org/wiki/RSA_numbers

[3] http://www.rsa.com/rsalabs/node.asp?id=2093

Appendix

A "cipher challenge" is a cryptographic problem that has been published, sometimes with a prize offered for cracking it.

When a cipher challenge has not yet been cracked despite many attempts, then confidence in the propagated system rises. If someone succeeds in cracking the problem, then the cryptosystem with the specified parameters is no longer regarded as secure.